Density Functional Theory Including van der Waals Forces

Jan Gerit Brandenburg^{1,2,3}

¹Department of Chemistry, University College London, 20 Gordon Street, London, UK. ²London Centre for Nanotechnology, University College London, 17-19 Gordon Street, London, UK.

³Thomas Young Centre, University College London, Gower Street, London, UK.

In the past years we have learned that good structures are the key to many important physical and chemical properties. In the foreseeable future, Kohn-Sham density functional approximations (DFA) will continue to be the method of choice for geometry optimizations. I will present different ways to incorporate London dispersion interactions (attractive van der Waals forces) in the density functional framework. They are classified into nonlocal (density based), semiclassical (C_6 based), and effective one-electron potentials.[1]

Those correction schemes can be ideally combined with semi-local DFAs to generate highly accurate electronic structure methods. As an example, a new cost-efficient screened exchange hybrid functional HSE-3c, which is targeting molecular crystals and their property prediction will be introduced.[2, 3] Comprehensive benchmark results show the overall accuracy of different approaches, where the impact of dispersion interactions is highlighted. I will demonstrate the application of some discussed methods to the 6^{th} blind test for organic crystal structure prediction. Comparisons to other state-of-the-art methods indicate both problems and success in the recent method developments.[4, 5]



Key references

- [1] S. Grimme, A. Hansen, J. G. Brandenburg, C. Bannwarth Chem. Rev. 2016, 116, 5105-5154.
- [2] J. G. Brandenburg, E. Caldeweyher, S. Grimme, Phys. Chem. Chem. Phys. 2016, 18, 15519-15523.
- [3] S. Grimme, J. G. Brandenburg, C. Bannwarth, A. Hansen, J. Chem. Phys. 2015, 143, 054107.
- [4] J. G. Brandenburg, S. Grimme, Top. Curr. Chem. 2014, 354, 1-23.
- [5] J. G. Brandenburg, S. Grimme, Acta. Cryst. B 2016, 72, 502-513.

www.gerit-brandenburg.de